INDEX TO VOLUME 60

New scientific names and combinations are printed in bold face type

Abies balsamea 248
Acalypha rhomboidea 68
Acer platanoides 65; saccharinum 65; saccharum 65
Achillea lanulosa 7, 8, 9; millefolium 7, 8, 9, 66; Ptarmica 127
Acnida altissima 301, 304; var. prostrata 301; var. subnuda 301, 305; cannabina 301, 304; tamariscina 301, 305
Adelia acuminata 327; cassinoides 328; ligustrina 327; porulosa 327, 328
Adenoplea lindleyana 21
Agropyron repens var. subulatum 67
Agrostis alba 65; canina f. mutica 65; perennans 67; tenuis 65
Ahles, H. A., Bell, C. R., and Radford, A. E., Species New to the Flora of North or South Carolina 10
Ahmadjian, V., The Fruticose and Foliose Lichens of Worcester County, Massachusetts 74
Ajuga reptans 23
Albino Form of Dipsacus sylvestris, An 174
Alectoria nidulifera 77
Aletes acaulis 265, 266, 270; macdougalii 265, 270; humilis 265
Alicabon barbadense 164
Alliaria officinalis 15
Allium ampeloprasum 12; var. atroviolaceum 12
Alnus serrulata 206, 207
Alsine rossii 45
Alsinopsis macrantha 49
Amaranthus albus 301, 302; ascendens 301, 305; caudatus 301, 305; cruentus 301, 305; deflexus 301, 305; graecizans 14, 301, 305; hybridus 301, 305; f. hypochondriacus 301, 305; lividus 301, 305; Palmeri 301, 305; Powellii 301, 305; pumilus 301; retroflexus 301, 304; spinosus 301, 305; viridis 301, 305
Ambrosia artemisiifolia 178–203, 310–312, 314; f. villosa 194; var. elatior 68; bidentata 126, 201; coronopifolia 177–203; elatior 178, 195, 201; media 195; psilostachya 177, 181, 183, 185, 188, 190, 200–203, 311; var. coronopifolia 126, 181; trifida 178, 180, 181, 182, 195, 201, 310, 311, 312, 314; artemisiifolia × coronopifolia 315; A. × helenae 200, 315; × Ambrosia Helenae 310; artemisiifolia × trifida 309–315; bidentata × trifida 310; Ambrosia × intergradiens 183, 186, 189–197, 200–203, 315; Plate 1234
America, Arenaria rossii and Some of Its Relatives in 44
Ampelamus albidus 21, 30
Andropogon campyloracheus 10; gerardi 144; scoparius var. frequens 67
Anaptychia hypoleuca 82
Anastrophyllum saxicola 219, 220
Antennaria aprica 306; campestris 306; canadensis 306; fallax 306; microphylla 306; munda 306; neglecta 68, 306; neodioica 68, 306; petaloidea 306; plantaginifolia 68, 306
Anthelia juratzkana 217, 219, 223
Anthemis arvensis var. agrestis 127; var. arvensis 127; mixta 127; tinctoria 127
Anthoxanthum odoratum 65
Anthriscus scandicinus 20
Apios americana 70
Apocynum androsaemifolium 70
Aquilegia formosa var. flavescens 86
Arabis missouriensis 206
Arceuthobium pusillum 298, 302
Arctium minus 66
Arenaria elegans 45, 47; filiorum 49, 50, 51, 52; macrantha 44, 45, 49, 50, 52; nuttallii 53; ssp. fragilis 53; ssp. gracilis 53; ssp. gregaria 53; ssp. nuttallii 53; rosei

53; rossii 44–46, 49, 51; **ssp. columbiana** 48, 50; var. apetala 48, 50, 52; **ssp. elegans** 47, 51; ssp. rossii 45, 51; rossii var. apetala 49; var. columbiana 48; Rossii 45; rubella 50, 52; stricta 45, 52; ssp. dawsonensis 53; ssp. macra 53; ssp. stricta 52; ssp. texana 52
Arenaria rossii and Some of Its Relatives in America 44
Aristida desmantha 42; lanosa 206, 208; stricta 291
Aristolochia Clematitis 298, 305; durior 298, 305; Serpentaria 298, 303
Arrhenatherum elatius f. biaristatum 65
Artemisia albula 127; dracunculoides 116; Parryi 266; vulgaris 25
Asarum canadense 298, 303; var. acuminatum 298, 303; var. reflexum 298, 303
Ascelepias syriaca 64, 68; verticillata 206
Ascyrum hypericoides var. oblongifolium 206
Asparagus officinalis 65
Asplenium cryptolepis 244
Aster cordifolius 70, 72; ericoides 68; infirmus 61; lateriflorus 68; var. pendulus 68; linearifolius 68; novae-angliae 61, 66; novi-belgii 70; pilosus 143; puniceus var. compactus 70; undulatus 68; vimineus 70
Asterella ludwigii 211, 216–218, 224, 234; saccata 211, 230, 231, 233, 249, 250; tenella 217
Athalamia hyalina 211, 230, 232, 234, 247, 249, 250
Athyrium Filix-femina var. Michauxii 69; f. elatius 69; f. laurentianum 69; thelypterioides f. acrostichoides 69
Atriplex arenaria 300, 304; glabriuscula 300, 304; hortensis 300, 305; patula 300, 304; var. hastata 300, 304; var. littoralis 300, 304; rosea 300, 305
Axyris amaranthoides 300, 305
Bacomyces roseus 76
Barbarea vulgaris var. arcuata 65
Bartholomew's Cobble (Review) 32
Bartonia paniculata 206, 319
Bassia hirsuta 300, 305
Bazzania denudata 224
Beals, T. F. and Wagner, W. H. Jr., Perennial Ragweeds (Ambrosia) in Michigan, with the Description of a New Intermediate Taxon 177
Bean, R. C., A. F. and Eaton, R. J., Twelfth Report of the Committee on Plant Distribution 297
Bell, C. R., Radford, A. E., and Ahles, H. E., Species New to the Flora of North or South Carolina 10
Berberis vulgaris 65
Bernard, Fr. J-P. and Löve, D., Rumex stenophyllus in North America 54
Beta vulgaris 300, 305
Betula alba 65; lenta 71; populifolia 67
Bidens connata 58; frondosa 58, 68; pilosa 25; var. radiata 25, 30
Blum, J. L. and Wilce, R. T., Description, Distribution and Ecology of Three Species of Vaucheria Previously Unknown from North America 283; Type of Vaucheria Compacta var. koksoakensis, The 329
Boehmeria cylindrica 13, 206, 295, 297, 302, 303; var. Drummondiana 297, 303; drummondiana 295
Borya acuminata 327; cassinoides 327, 328; ligustrina 327; porulosa 327, 328
Bothriochloa intermedia 91, 93, 95; ischaemum 91, 93, 94, 95; pertusa 91, 93
Brachiaria platyphylla 11
Bredemeyera colletioides 104
Brodiaea uniflora 13
Bromus brizaeformis 296; commutatus 65; marginatus 264
Buchloë dactyloides in Illinois 259, 260
Buddleia lindleyana 21

Cabomba caroliniana 116, 321
Cabomba caroliniana Grows in Worcester County, Massachusetts 321; in Essex County, Massachusetts 116
Callirhoe involucrata 41, 43
Callitriche terrestris 18, 30
Calothrix scopulorum 284
Calyptranthes cardiophylla 324; **clarendonensis** 323, 324; ekmannii 324; maxonii 324
Candelaria concolor 81; var. effusa 81
Cannabis sativa 297, 304
Capsella Bursa-pastoris 65
Carex annectens 67; cephalophora 70; eleocharis 115; hirsutella 318; laxiflora 318; var. serrulata 318; lurida 206; normalis 70; pallescens var. neogaea 70; pensylvanica 70; var. digyna 115; picta 175; praegracilis 115; scoparia 70; Shortiana 174; spicata 65; squarrosa 174; stenophylla 115; var. enervis 115; Swanii 70; tenera 70; typhina 174; virescens 206; × Deamii 174
× Carex Deamii in Missouri 174
Carolinas, Striga asiatica and Chrysoma pauciflosculosa in the 289
Carphephorus bellidifolius 121; **carnosus** 120, 121; corumbosus 118, 121; pseudo-liatris 118, 121; tomentosus 121
Carya glabra 67; ovalis 206; texana 206; tomentosa 67, 206
Castanea dentata 71
Catalpa bignonioides 65
Celarier, R. P. and Mehra, K. L., Determination of Polyploidy from Herbarium Specimens 89
Celastrus scandens 68
Celosia argentea var. cristata 301, 305
Centaurium umbellatum 21
Cephalozia leucantha 218; spinigera 219; subdentata 219
Cephaloziella arctica 223; **spinigera** 219
Cerastium vulgatum 65
Ceratophyllum demersum 322
Cetraria ciliaris 77, 82; islandica 77, 82; Oakesiana 82; Tuckermanii 82
Chaerophyllum procumbens 20
Chamaesaracha grandiflora 113; nana 113; physaloides 171
Channell, R. B., A New Species of Samolus (Primulaceae) from Mexico 1
Chelone glabra 206
Chenopodium album 300, 304; ambrosioides 300, 305; var. anthenminticum 300, 305; Bonus-Henricus 300, 305; Boscianum 300, 303; Botrys 300, 304; Capitatum 300, 302; carinatum 300, 305; foliosum 300, 305; glaucum 300, 305; graveolens 300, 305; humile 300, 305; hybridum var. gigantospermum 300, 302; incanum 300, 305; lanceolatum 65, 300, 304; leptophyllum 300, 302, 303; murale 300, 305; paganum 300, 305; polyspermum 300, 305; rubrum 300, 304; urbicum 300, 304
Chromosome Numbers in the Genus Krameria: Evidence for Familial Status 101
Chromosome Races in the Chrysanthemum Leucanthemum Complex 122
Chrysanthemum ircutianum 124; lacustre 26; Leucanthemum var. pinnatifidum 66; leucanthemum 122, 123, 124; var. subpinnatifidum 124
Chrysobalanus oblongifolius 16, 23, 29
Chrysoma pauciflosculosa 290
Chrysoma pauciflosculosa in the Carolinas, Striga asiatica and 289
Chrysosplenium iowense 248, 251
Cichorium Intybus 66
Circaea quadrisulcata var. canadensis 68
Cirsium arvense 26; pitcheri 251; vulgare 66
Cladonia apodocarpa 78; bacillaris 80; f. clavata 80; f. reagens 80; Boryi 77; caespiticia 78; capitata 80; carassensis 78; f. regularis 78; chlorophaea 79; f. carpophora 79; clavulifera 81; f. nudi-

caulis 81; coniocraea 79, 81; f. phyllostrota 79; f. stenoscypha 79; conista 79; cornutoradiata 79; f. radiata 79; cristatella 80; f. ochrocarpia 80; f. simulata 80; f. squamosissima 80; f. vestita 80; cylindrica 79, 81; f. scyphifera 79; deformis 79; delicata 80; didyma 80; farinaceae 77; fimbriata 79, 81; Floerkeana 80; f. trachypoda 80; furcata 77, 78; var. palamaea 77; var. pinnata 77; gracilis 79; Grayi 80; f. carpophora 80; f. prolifera 80; f. squamulosa 80; incrassata 80; macilenta 80; mitis 78; mitrula 80; nemoxyna 79, 81; papillaria 77; piedmontensis 80; f. squamulosa 80; pityrea 79, 81; pleurota 79; var. frondescens 79; pyxidata 79; rangiferina 77; f. crispata 77; scabriuscula 77; squamosa 78; f. squamosissima 78; subcariosa 81; f. squamulosa 81; submitis 78; sylvatica 78; tenuis 77; turgida 78; f. squamulosa 78; uncialis 77; verticillata 79; f. aggregata 79; f. apoctita 79; f. phyllocephala 79

Claytonia aurea 259; chrysantha 259; flava 259; lanceolata 259; virginia 258, 259

Cnidoscolus stimulosus 291

Cochranea anchusaefolia 21

Comandra Richardsiana 206, 298, 303; umbellata 298, 302

Commelina communis var. ludens 12

Convallaria canaliculata 292

Convolvulus sepium 68

Coreopsis basalis 26; drummondii 26; verticillata 126

Corispermum hyssopifolium 300, 305

Cornus alternifolia 68; florida 206

Corylus americana 67

Cosmos bipinnatus 26

Crataegus crus-galli 320

Crepis pulchra 26

Croton capitatus var. lindheimeri 17; engelmanni 17; lindheimeri 17

Cryptocolea imbricata 223

Cuphea balsamona 19; carthagenensis 19

Cuscuta campestris 66

Cycloloma atriplicifolium 14, 300, 305

Cynomarathrum saxatile 269

Cyperus erythrorhizos 317; flavescens var. poaeformis 206; strigosus 67

Cytotaxonomic Study of the Genus Achillea in Pennsylvania 7

Dactylis glomerata 65

Daucus Carota 65

Dermatocarpon aquaticum 82; miniatum var. complicatum 82

Description, Distribution and Ecology of Three Species of Vaucheria Previously Unknown from North America 283

Determination of Polyploidy from Herbarium Specimens 89

DeWolf, G. P. Jr., Evolution of Flowering Plants (Review) 262

Dicerandra densiflora 23, 29

Dichanthium annulatum 91, 92, 94, Plate 1232, 95

Digitaria filiformis 11, 30; var. villosa 208; Ischaemum 65; sanguinalis 65; texana 11, 30

Diplophyllum albicans 216; apiculatum 211, 228, 229, 243, 244; var. obtusatum 228; incurvum 216; obtusifolijm 228, 229, 230

Dipsacus sylvestris 174; sylvestris f. **albidus** 175

Distribution of Litorella americana in the Mid-arrowhead Region of Minnesota 33

Dithyrea Griffithsii 147, 151; Wislizenii 146, Plate 1233, 147, 150, 151, 152; var. Palmeri 151

Dominican Republic, Thelepogon elegans Roth in the 73

Dryopteris thelypteris 295; Thelypteris var. pubescens 69, 206

Eaton, R. J., Some Interesting Records from Eastern Massachusetts 316; The Spontaneous Flora of an Old House-Lot in Eastern Massachusetts 61

Eaton, R. J., Bean, R. C. and Hill,

A. F., Twelfth Report of the Committee on Plant Distribution 297
Echinochloa pungens var. Wiegandii 67
Echinodorus parvulus 42
Echium vulgare 43
Ehrle, E. B., A Cytotaxonomic Study of the Genus Achillea in Pennsylvania 7
Elaeagnus pungens 18
Elatine triandra in New York 58
Elatine triandra 58; f. submersa 58, 59
Emex spinosa 298, 305
Epilobium coloratum 68
Equisetum arvense 64, 69
Eragrostis lugens 11; spectabilis 67
Erigeron annuus 68, 72; canadensis 68; pulchellus 68
Eugenia jeremiensis 326
Eupatorium fistulosum 206; perfoliatum 295
Euphorbia commutata 296; corollata 206; dentata 17; hirta 18; Ipecacuanhae 291; supina 68
Euphrasia disjuncta 308; micrantha 307, 308; subarctica 308
Euphrasia micrantha New to North America 307
Evernia mesomorpha 76
Evers, R. A., Further Notes on the Illinois Flora 142
Evolution of a Taxonomic Character in Dithyrea (Cruciferae), The Genetic 145
Evolution of Flowering Plants (Review) 262
Experiments and Observations Bearing on Evolution in Oenothera 37

Facelis apiculata 27; retusa 27
Fagopyrum sagittatum 298, 304; tataricum 298, 305
Falcaria sioides 41
Fell, E. W., New Illinois Carex Records 115
Festuca elatior 65; ovina 65; rubra 67; var. commutata 67
Field and Herbarium Studies in Southern Illinois 292
Fimbristylis autumnalis 206
Florida, A New Species of Vicia (Leguminosae) in 256
Forestiera acuminata 327; cassinoides 328; porulosa 328
Foster, R. C., Three Changed Authorities for Combinations 86
Fragaria virginiana 67
Fraxinus americana 68, 71
Froelichia arizonica 301, 305; floridana 14; var. campestris 208; gracilis 14, 41, 116
Frullania bolanderi 211, 225, 226, 227, 228, 229, 244, 247, 248, 252
Fruticose and Foliose Lichens of Worcester County, Massachusetts, The 74
Further New Records of Myrtaceae from Jamaica 323
Further Notes on the Illinois Flora 142

Galinsoga ciliata 66
Garberia fruticosa 119; heterophylla 119
Gates, B. N., Cabomba caroliniana Grows in Worcester County, Massachusetts 321
Gates, R. R., Experiments and Observations Bearing on Evolution in Oenothera 37
Gaura parviflora 19
Generic Considerations Concerning Carphephorus, Trilisa and Litrisa (Compositae) 117
Genetic Evaluation of a Taxonomic Character in Dithyrea (Cruciferae) The 145
Geobalanus oblongifolius 16
Geocaulon lividum 298, 302
Geranium maculatum 68, 69; Robertianum 66
Geum laciniatum var. trichocarpum 67
Glassman, S. F. and Thieret, J. W., Grasses New to Illinois and the Chicago Region 264
Gleason, H. A., Two New Stations for Carex picta 175
Gloeocystis scopulorum 284
Gnaphalium obtusifolium 68
Godfrey, R. K. and Kral, R., A New Species of Vicia (Leguminosae) in Florida 256; Some

Identities in Halesia (Styracaceae) 86
Gonolobus laevis 21
Grasses New to Illinois and the Chicago Region 264
Gutierrezia sarothrae 270
Gyrophora Dillenii 84

Habenaria ciliaris 206; clavellata 206; lacera 67
Halesia carolina 88; diptera 86; Plate 1231, 87, 88; var. diptera 88; **var. magnifolia** 88; parviflora 88; tetraptera Plate 1231, 87, 88
Halesia (Styracaceae), Some Identities in 86
Harperella fluviatilis 21
Harris, S. K., A New Color Form of Solidago sempervirens 261; Cabomba caroliniana in Essex County, Massachusetts 116; Nelumbo Lutea in Essex County, Massachusetts 116; Rorippa Sessiliflora in Essex County, Massachusetts 260
Heiser, C. B. Jr., Three New Annual Sunflowers (Helianthus) from the Southwestern United States 272
Helianthella parryi 267
Helianthus agrestis 272; angustifolius 126, 143; annuus 272, 274, 275, 277; brevifolius 126; debilis 275, 277, 279; ssp. cucumerifolius 279; ssp. praecox 279; divaricatus 126; grosseserratus 126; hirsutus var. hirsutus 294; var. trachyphyllus 294; maximiliani 27; **neglectus** 274, 275, 276, 277, 279, 282, 283; **paradoxus** 272, 273, 274, 275, 277, 282; petiolaris 272, 274, 275, 277, 279; **ssp. fallax** 279, 280, 282; ssp. petiolaris 279, 281, 282; petiolaris var. canescens 277, 282; praetermissus 274; radula 27; tuberosa 64, 66; × ambiguous 126; annuus × petiolaris 279; H. × luxurians 126; giganteus × mollis 126; neglectus × annuus 277, 278; neglectus × debilis ssp. cucumerifolius 278; × debilis ssp. praecox 278; × petiolaris var. canescens 278; × petiolaris A 278, 279; × petiolaris B 278; occidentalis × grosseserratus 126; petiolaris × annuus 126
Heliotropium amplexicaule 21
Hepaticae VI. Phytogeographical Relationships of Critical Species in Minnesota and Adjacent Areas of Great Lakes, Notes on Nearctic 209, 243
Herberta hutchinsiae 224; sakuraii 210, 224; tenuis 224
Hermann, F. J., Euphrasia micrantha New to North America 307
Hesperis matronalis 16
Heteropogon melanocarpus 11
Hieracium aurantiacum 66; florentinum 66; pilosella var. niveum 320
Hilferty, F. J., A New Bryophyte Flora (Review) 176
Hill, A. F., Eaton, R. J. and Bean, R. C., Twelfth Report of the Committee on Plant Distribution 297
Hodgdon, A. R. and Pike, R., A New Rhododendron Station in Maine 328
Holosteum umbellatum 15
Humulus japonicus 297, 304; Lupulus 297, 304
Hybrid Ragwood, Ambrosia artemisiifolia × trifida, The 309
Hydrocotyle sibthorpioides 20
Hymenocallis occidentalis 13
Hymenoxys richardsonii 270
Hypericum kalmianum 251; mutilum var. parviflorum 68; perforatum 68; tubulosum var. Walteri 206
Hypochaeris glabra, 10, 28, 29
Hypogymnia physodes 82

Ilex myrtifolia 18; opaca 206
Illinois and the Chicago Region, Grasses New to 264
Illinois, Buchloe dactyloides in 259; Field and Herbarium Studies in Southern 292; Plant Notes from 41

Illinois Flora, Further Notes on the 142
Impatiens capensis 68
Ionoxalis martiana 17
Iris brevicaulis 42
Isoetes macrospora 316; muricata 34; riparia 316; var. canadensis 316
Itea virginica 206
Iva ciliata 28

Jamaica, Further New Records of Myrtaceae from 323
James, C. W., Generic Considerations Concerning Carphephorus, Trilisa and Litrisa (Compositae) 117
Jennings, O. E., Thelepogon elegans Roth in the Dominican Republic 73
Jones, G. N., Buchloë dactyloides in Illinois 259
Juglans cinerea 71; nigra 65
Juncus diffusissimus 206; tenuis 67
Jungermannia polaris 222; schiffneri 211, 222, 223
Jussiaea decurrens 206; leptocarpa 19, 142, 143

Kochia Scoparia 300, 305; Sieversiana 300, 305
Kral, R. and Godfrey, R. K., A New Species of Vicia (Leguminosae) in Florida 256
Krameria grayi 102, 103, 105; lanceolata 102, 103, 105; ramosissima 102, 103, 105

Lactuca canadensis var. latifolia 68; var. longifolia 68
Lakela, O., Distribution of Littorella americana in the Mid-arrowhead Region of Minnesota 33
Laportea canadensis 297, 302
Lapsana communis 28
Larrea tridentata 5
Leontodon autumnalis 66; leysseri 28
Lepanthes Brenesii 100; cochleariformi 98; turialvae 97, 98, 99, 100
Leptodactylon pungens 270
Lewis, W. H., Minor Forms of North American Species of Rosa 237
Liatris odoratissima 117, 118; paniculata 118
Lichens of Worcester County, Massachusetts, The Fruticose and Foliose 74
Linaria canadensis 68, 206
Lindera Benzoin 206
Lithospermum croceum 296; caroliniense 206; 296
Litrisa carnosa 118, 119, 120
Littorella americana 33, 34, 35, 36, 37; uniflora 33, 36, 37
Lobelia Dortmanna 33, 37
Lolium perenne 65
Long, R. W., Notes on the Distribution of Ohio Compositae: I. Heliantheae, Anthemideae 125
Lophozia alpestris 253; gillmani 213, 223, 224; grandiretis 253; groenlandica 253; hatcheri 253; heterocolpa 223; kunzeana 223, 253; latifolia 223; lycopodioides 253; obtusa 253; quadriloba 213, 214, 233; schultzii 214, 224
Lotus corniculatus 42
Löve, D. and Bernard, Fr. J-P., Rumex stenophyllus in North America 54
Luzula multiflora 70
Lysimachia Nummularia 66; quadrifolia 68
Lythrum carthagenense 19

Maguire, B., Arenaria rossii and Some of Its Relatives in America 44
Maianthemum canadense 67
Maine, A New Rhododendron Station in 328
Malus platycarpa var. hoopesii 294
Mannia fragrans 233; pilosa 211, 233, 234, 247, 249, 250; rupestris 211, 243, 244, 245; sibirica 211, 233, 234, 249, 250
Marsupella emarginata 246; parolica 245, 246; sparsifolia 245, 246
Massachusetts, Cabomba caroliniana Grows in Worcester County, Massachusetts 321; Cabomba caroliniana in Essex County 116;

Nelumbo lutea in Essex County 116; Rorippa sessiliflora in Essex County 260; Some Interesting Records from Eastern 316; The Fruticose and Foliose Lichens of Worcester County 74; The Spontaneous Flora of an Old House-Lot in Eeastern 61
Matricaria Chamomilla 127
Megalodonta Beckii 322
Mehra, K. L. and Celariar, R. P., Determination of Polyploidy from Herbarium Specimens 89
Melica nitens 11
Mentha alopecuroides 43
Mertensia paniculata 226, 248, 249, 251
Mexico, A New Species of Samolus (Primulaceae) from 1
Michigan, with the Description of a New Intermediate Taxon, Perennial Ragweeds (Ambrosia) in 177
Microlepidozia setacea 220
Mimulus geyeri 43; guttatus 58; luteus var. cupreus 86
Minnesota and Adjacent Areas of the Great Lakes, Notes on Nearctic Hepaticae VI. Phytogeographical Relationships of Critical Species in 209, 243
Minnesota, Distribution of Litorella americana in the Mid-arrowhead Region of 33; Notes on the Distinction between the Broad- and Narrow-leaved Antennarias of 306
Minor Forms of North American Species of Rosa 237
Minuartia rolfii 44–46; rossii 45
Mirabilis hirsuta 301, 305; jalapa 14; Jalapa 301, 305; linearis 301, 305; nyctaginea 301, 305
Missouri, An Unusual Botanical Area in 205; × Carex Deamii in 174
Mitrula phalloides 207
Mohlenbrock, R. H. Jr., Field and Herbarium Studies in Southern Illinois 289
Mollugo verticillata 66, 301, 304
Monachino, J., Elatine triandra in New York 58
Monolepis Nuttalliana 300, 305
Morley, T., Notes on the Distinction between the Broad- and Narrow-leaved Antennarias of Minnesota 306
Muhlenbergia frondosa 67; mexicana 67; Schreberi 67
Mulligan, G. A., Chromosome Races in the Chrysanthemum Leucanthemum Complex 122
Myosotis versicolor 22
Myrcia cardiophylla 325; **skeldingi** 325; uberavensis 325
Myriophyllum tenellum 34
Myrtaceae from Jamaica, Further New Records of 323

Name Lepanthes Turialvae: A Source of Confusion, The 97
Nearctic Hepaticae VI. Phytogeographical Relationships of Critical Species in Minnesota and Adjacent Areas of the Great Lakes 209, 243
Nelumbo lutea 116
Nelumbo lutea in Essex County, Massachusetts 116
Neoparrya lithophila 265, 269, 270; Mathias 265
New Bryophyte Flora, A (Review) 176
New Color Form of Solidago sempervirens, A 261
New Illinois Carex Records 115
New Rhododendron Station in Maine A 328
New Species of Samolus (Primulaceae) from Mexico, A 1
New Species of Vicia (Leguminosae) in Florida, A 256
New York, Elatine triandra in 58
North America, Description, Distribution and Ecology of Three Species of Vaucheria Previously Unknown from 283; Euphrasia micrantha New to 307; North of Mexico, A Taxonomic Study of the Genus Physalis in 107, 128, 152; Rumex stenophyllus in 54; Some New Flora for Parts of (Review) 235
North American Species of Rosa, Minor Forms of 237

North or South Carolina, Species New to the Flora of 10
Notes on the Distinction between the Broad- and Narrow-leaved Antennarias of Minnesota 306
Notes on Nearctic Hepaticae VI. Phytogeographical Relationships of Critical Species in Minnesota and Adjacent Areas of Great Lakes 209
Notes on the Distribution of Ohio Compositae: I. Heliantheae, Anthemideae 125
Nuphar variegatum 116
Nymphaea odorata 116; tuberosa 34
Nymphoides peltatum 58

Odontoschisma elongatum 219; macounii 212, 223
Oenothera blandina 39; Lamarckiana 37; perangusta 37, 38, 39, 40; var. rubricalyx 38; Victorini 39
Oenothera, Experiments and Observations Bearing on Evolution in 37
Ohio Compositae: I. Heliantheae, Anthemidaeae, Notes on the Distribution of 125
(Oleaceae) Typification of the Genus Forestiera 327
Onoclea sensibilis 69, 206
Orange-Yellow-Flowered Claytonia virginica 258
Ornithagalum umbellatum 65
Orobanche uniflora 68
Osmunda cinnamomea 69, 206; regalis var. spectabilis 69, 206
Oxalis europaea f. villicaulis 68; martiana 17
Oxyria digyna 298, 302

Panicum capillare var. occidentale 67; commutatum 206; lanuginosum var. fasciculatum 67; var. implicatum 67; laxiflorum 206; microcarpon 206; polyanthes 206; spretum 67
Parietaria floridana 297, 305; pensylvanica 297, 303, 318, 320
Parmelia Borreri 83; caperata 83; conspersa 83; f. insidiata 83; var. stenophylla 83; dubia 83; perforata 83; rudecta 83; saxatilis 83; subaurifera 83; sulcata 83
Parsonsia balsamona 19
Parthenocissus quinquefolia 68
Paspalum ciliatifolium var. Muhlenbergii 67; plicatulum 11, 30; setaceum 206, 207, 208; stramineum 116
Peltigera canina 82
Pennsylvania, A Cytotaxonomic Study of the Genus Achillea in 7
Penstemon arkansanus 292; pallidus 292
Perennial Ragweeds (Ambrosia) in Michigan, with the Description of a New Intermediate Taxon 177
Perizoma rhomboidea 23
Persicaria hirsuta 13
Phalaris canariensis 12
Phleum pratense 65
Phlox drummondi 21; gracilis 41; pilosa 206
Phyllanthus niruri 18; pentaphyllus 18, 30
Physalis aequata 160; Alkekengi 107, 111, 128, 133; ambigua 140; angulata 111, 162; var. angulata 112, 132, 162, 163; var. **lanceifolia** 112, 132, 163; var. Linkiana 162; var. **pendula** 112, 132, 163; angustifolia 108, 109, 129, 137; arenicola 109, 139; var. arenicola 129, 139; var. ciliosa 129, 139; barbadensis 164; var. glabra 165; var. obscura 165; cardiophylla 159; Carpenteri 128, 171; caudella 108, 112, 139, 158; ciliosa 108, 139; comata 108, 157; crassifolia 107, 109, 111, 112, 159, 170; var. cardiophylla 159; var. crassifolia 132, 159; var. **versicolor** 112, 132, 160; Elliottii 134; Fendleri 108, 158; var. cordifolia 158; floridana 108, 164; **foetens** var. **neomexicana** 133, 168; Francheti 133; fuscomaculata 134; genucaulis 108, 160; Greenei 133, 170; hederaefolia 108, 109, 111, 112, 156; var. comata 131, 157; var. **cordifolia** 131, 158; var. Fendleri 111; var. hederaefolia 131, 156; var.

puberula 156; heterophylla 68, 107, 108, 109, 110, 111, 140, 141, 155; var. ambigua 140; var. clavipes 130, 141; var. heterophylla 130, 140; var. umbrosa 140; var. **villosa** 130, 141; hirsuta var. integrifolia 166; var. repandodentata 165; ixocarpa 108, 112, 113, 128, 131, 160; lanceifolia 107, 163; lanceolata 107, 108, 141, 155; var. hirta 138; var. laevigata 154; var. longifolia 154; var. spathulaefolia 135; latifolia 141; **latiphysa** 133, 169; Linkiana 107, 162; lobata 110, 111, 113, 128, 171; f. **albiflora** 171; longifolia 108, 112, 154; macrophysa 108, 112, 153; maritima 133, 134; missouriensis 108, 111, 133, 169, 170; mollis 108, 135; var. cinerascens 136; var. parvifolia 136; monticola 108, 142; muriculata 159; neomexicana 108, 168, 169; nyctaginea 108, 140; obscura 165; var. glabra 107, 165; var. viscidopubescens 107, 164; Palmeri 156; pedunculata 170; pendula 108, 163; pensylvanica 107, 136; var. cinerascens 136; peruviana 107, 108, 130, 141; var. latifolia 141; polyphylla 108, 156; pruinosa 167; pubescens 111, 112, 164, 166, 170; var. **glabra** 132, 165; var. **grisea** 132, 167; var. **integrifolia** 132, 166; var. pubescens 132, 164; pumila 108, 129, 138; var. sonorae 154; rigida 108, 154; rotundata 108, 157; sabeana 171; sinuata 108, 140; subglabrata 108, 152; texana 153; turbinata 164, 165; **variovestita** 129, 137, 138; versicolor 108, 160; virginiana 107, 109, 111, 141, 142, 155; f. **macrophysa** 153; var. ambigua 140; var. **campaniforma** 130, 156; var. **hispida** 130, 154; var. intermedia; var. **polyphylla** 131, 156; var. **sonorae** 111, 112, 131, 154; var. **subglabrata** 111, 112, 152, 160; f. subglabrata 130; f. macrophysa 130; var. **texana** 131, 153; var. virginiana 111, 112, 130, 142; viscido-pubescens 164; viscosa 107, 111, 112, 133, 136, 137; f. Elliottii 134; f. **latifolia** 134; ssp. **maritima** 134; ssp. **mollis** 135; ssp. viscosa 133; var. cinerascens 110, 129, 136, 138; var. **Elliottii** 134; f. Elliottii 129; f. **glabra** 129, 135; var. maritima 110, 134, 137; f. maritima 129; f. latifolia 129; var. mollis 110, 129, 136, 138; var. spathulaefolia 110, 129, 135; Walteri 108, 134; Wrightii 108, 111, 128, 132, 161, 171

Physcia aipolia 83; ascendens 83; elaeina 83; leptalea 83; leucoleiptes 83; millegrana 83; orbicularis 83; f. rubropulchra 83; pulverulenta 83; stellaris 84; f. tuberculata 84; var. rosulata 84; tribacia 83

Phytogeographical Relationships of Critical Species in Minnesota and Adjacent Areas of Great Lakes. Notes on Nearctic Hepaticae VI. 209, 243

Phytolacca americana 67, 301, 303

Picris hieracioides 29

Pike, R. and Hodgdon, A. R., A New Rhododendron Station in Maine 328

Pilea fontana 13, 295; opaca 13, 295; pumila 13, 67, 295, 297, 302; var. deamii 295

Pinguicula vulgaris 253

Pinus echinata 292; edulis 270; rigida 71; Strobus 67, 329

Plantago aristata 24; hookeriana var. nuda 10, 24, 30; lanceolata 66; major 66; patagonica 24; Rugelii 68; Wrightiana 24

Plant Notes from Illinois 41

Pluchea petiolata 206

Poa compressor 65; pratensis 67

Poinsettia dentata 17

Polygonatum biflorum 292, 293; canaliculatum 292; commutatum 292, 293; pubescens 292, 293

Polygonella americana 206; articulata 298, 303

Polygonum achoreum 298, 303; allocarpum 298, 304, 305; amphibium f. terrestre 298, 305; var. stipulaceum 298, 302; f.

fluitans 298, 302; f. hirtuosum 298; f. simile 298; arifolium 206; var. pubescens 298, 302, 303; aviculare 65, 298, 304; var. littorale 298, 304; var. vegetum 298, 304; Bistorta 298, 305; Careyi 298, 302; cespitosum var. longisetum 298, 305; cilinode 298, 302; f. erectum 298, 302; coccineum 298, 302; f. natans 298, 302; Convolvulus 65, 298, 304; var. subalatum 298, 304; cristatum 298, 303; cuspidatum 298, 305; Douglasii 298, 302; dubium 298, 305; erectum 298, 303; exsertum 299, 304; Fowleri 299, 305; glaucum 299, 304; hirsutum 13; Hydropiper 67, 299, 302; var. projectum 299, 302; hydropiperoides 299, 302; f. strigosum 299; lapathifolium 299, 302; var. prostratum 299, 305; var. salicifolium 299, 302; minus var. subcontinuum 299, 305; nepalense 299, 305; opelousanum 299, 303; var. adenocalyx 299, 303; orientale 299, 304; pensylvanicum 299, 303; var. laevigatum 67, 299, 302; f. albineum 299; var. nesophilum 299, 303; Persicaria 65, 299, 304; var. ruderale 299, 305; polystachyum 299, 305; prolificum 299, 304; punctatum 299, 302; var. leptostachyum 299, 302; var. parvum 299, 304; puritanorum 299, 303; ramosissimum 299, 304; f. atlanticum 299, 304; robustius 299, 303; sachalinense 299, 305; sagittatum 299, 302; f. chloranthum 299, 304; scabrum 299, 305; scandens 299, 303; setaceum var. interjectum 299, 303; tenue 299, 303; viviparum 253, 299, 302

Populus balsamea 248

Portulaca oleracea 65

Potentilla canadensis 67; tridentata 248, 253

Preissia quadrata 234

Primula mistassinica 248

Proctor, G. R., Further Records of Myrtaceae from Jamaica 323

Prunella vulgaris 66

Prunus serotina 67; virginiana 67, 69

Ptilimnium fluviatile 20

Puccinellia distans 264

Pyrus angustifolia 293, 294; coronaria 293, 294; var. lancifolia 294; ioensis 294; lancifolia 293; melanocarpa 206

Pyxine sorediata 83

Quercus alba 67, 71; coccinea 206; falcata 206; imbricaria 206; leavis 291; rubra 67, 71; velutina 206

Quincula lepidota 108, 171; lobata 171

Radford, A. E., Ahles, H. E. and Bell, C. R., Species New to the Flora of North or South Carolina 10

Ramallina pollinaria 76

Ranunculus acris 65; arvensis var. tuberculatus 15; flabellaris 322; harveyi 292; parvulus 15; repens 34, 37, 65; sardous 15

Raphanus raphanistrum 16; f. albus 16

Ratibida columnifera 116

Reboulia hemisphaerica 230

Rediscovery of the Genus Neoparrya Mathias (Umbelliferae) 265

Rhamnus Frangula 61, 65

Rheum Rhaponticum 299, 305

Rhexia virginica 206

Rhododendron lapponicum 251; maximum 328, 329

Rhus radicans 70

Rollins, R. C., Bartholomew's Cobble (Review) 32; The Genetic Evaluation of a Taxonomic Character in Dithyrea (Cruciferae) 145; Orange-Yellow Flowered Claytonia virginica 258; Some New Floras for Parts of North America (Review) 235; Species Plantarum—More Than a Facsimile Edition (Review) 59

Rorippa sessiliflora in Essex County, Massachusetts 260

Rosa acicularis var. Gmelini f. alba 242; ssp. **acicularis f. alba** 242;

ssp. **Sayi** f. **plena** 242; adenosepala 240; arkansana 241; f. **alba** 241; f. **plena** 241; f. **setulosa** 241; arkansoides f. alba 241; blanda 240; f. **carpohispida** 240; var. hispida 240; blanda carpohispida 240; carolina 240, 242; **f. plena** 242; var. alba 240; var. hemisphaerica 240; var. inermis 239; var. pimpinellifolia 240; var. plena 242; var. scandens 240; var. setigera 237; carolina conglobata 242; carolina inermis 239; carolina salicifolia 239; carolinana var. flore pleno 242; heliphila f. alba 241; hudsoniana 239; hudsonia flore multiplici 240; hudsonia salicifolia 239; hudsonia subcorymbosa 240; humilis var. plena 242; nitida 238; **f. spinosa** 237, 238, 239; palustris 238, 239, 240; f. **alba** 240; f. **inermis** 239; f. **plena** 240; var. inermis 239; parviflora 242; parviflora (flore multiplici) 242; parviflora pleno 242; pennsylvanica var. flore pleno 242; pennsylvanica plena 242; pratincola f. alba 241; pratincola setulosa 241; suffulta f. alba 241; f. setulosa 241; virginiana 238; **Woodsii** f. **hispida** 240; blanda × R. pisocarpa 238; carolina × R. nitida 237; MacDougali × R. ultramontana 240; nitida × R. palustris 237; × R. virginiana 237, 238, 239; Woodsii × R. blanda 238

Roubieva multifida 300, 305

Rubus Enslenii 67; laciniatus 42; occidentalis 67; parviflorus 249, 251; pensylvanicus 67; phoenicolasius 42

Rudbeckia hirta var. Brittonii 126; mollis 29; serotina 66; tenax 127

Rumex Acetosa 65, 299, 304; Acetosella 65, 299, 304; alluvius 55; alpinus 299, 305; altissimus 299, 304; biformis 56; brittanica 55; crispus 55, 56, 65, 299, 304; var. dentatus 56; × obtusifolius 56, 57, 299; × orbiculatus 299; domesticus 299, 304; fenestratus 299, 302; hastatulatus 299, 305; maritimus 299, 305; var. fueginus 300, 304; mexicanus 300, 304; obtusifolius 55, 56, 65, 300, 304; var. cristatus 56; odontocarpus 55, 56; orbiculatus 300, 302; pallidus 300, 304; patientia 13. Patientia 300, 305; persicarioides 300, 304; pulcher 55, 300, 305; stenophyllus 54, 55, 56, 57; triangulivalvis 300, 304; verticillatus 300, 303

Rumex stenophyllus in North America 54

Ruta braveolens 17

Sagina procumbens 67

Sagittaria latifolia 58

Salicornia Bigelovii 300, 304; europaea 300, 304; var. prostrata 300, 304; var. simplex 301, 304; virginica 301, 304

Salsola Kali 301, 304; var. caroliniana 301, 304; var. tenuifolia 301, 304

Salvia pitcheri 41, 43; reflexa 41, 43

Samolus alyssoides 1; cinerascens 1, 2, 4; cuneatus 1; **dichondrifolius** 2, 3, 4, 5, 6; ebracteatus 1, 2, 4, 5, 6

Sassafras albidum 206

Scapania buchii 213; curta 216; cuspiduligera 216, 217, 223, 224; degenii 220, 221, 222; var. dubia 220, 221; gymnostomophila 215, 216, 223; helvetica 216; hyperborea 220, 221, 222, 224; incurva 215; microphylla 213; mucronata 234; scandica 214, 215, 216; spitzbergensis 216

Schultes, R. E., The Name Lepanthes Turialvae: A Source of Confusion 97

Schuster, R. M., Notes on Nearctic Hepaticae VI. Phytogeographical Relationships of Critical Species in Minnesota and Adjacent Areas of Great Lakes 209, 243

Scirpus caespitosus 253; carinatus 12; etuberculatus 12; koilolepis 12, 30; rubricosus 206

Scleria nitida 207, 208; reticularis 41; triglomerata 208
Scoparia dulcis 24
Sedum purpureum 65, 66; rosea 219, 251
Selaginella arenicola ssp. acanthonota 291
Sesban exaltata 17
Sesbania exaltata 10, 17
Setaria glauca 65
Silphium laciniatum 127
Sisyrinchium arenicola 319, 320; atlanticum 67; montanum var. crebrum 67
Smilax glauca var. leurophylla 295
Solanum americanum 68, 69; carolinense 68, 69; Dulcamara 58, 66; rostratum 66
Solenostoma appalachianum 245, 246; monticola 246; sphaerocarpum 253
Solidago buckleyi 292; caesia 68; canadensis 62, 64, 68; houghtonii 214; juncea 68; nemoralis 68; patula 206; 295; pauciflosculosa 290; rugosa 62, 64, 68; rugosa var. celtidifolia 206; **sempervirens** f. **citrea** 261
Soliva sessilis 29
Some Identities in Halesia (Styracaceae) 86
Some Interesting Records from Eastern Massachusetts 316
Some New Floras for Parts of North America (Review) 235
Sonchus uliginosus 54
South Carolina, Species New to the Flora of North or 10
Species New to the Flora of North or South Carolina 10
Species Plantarum—More Than a Facsimile Edition (Review) 59
Spergula pentandra 15
Sphenoclea zeylandica 24
Spinacea glabra 301, 305; oleracea 301, 305
Spiranthes cernua 67
Spirea latifolia 67
Spontaneous Flora of an Old House-Lot in Eastern Massachusetts, The 61
Stachys sieboldii 23
Stellaria media 65
Stereocaulon coralloides 81; dactylophyllum 81; evolutoides 81; pileatum 81
Steyermark, J. A., An Albino Form of Dipsacus sylvestris 174; An Unusual Botanical Area in Missouri 205; × Carex Deamii in Missouri 174
Stillingia aquatica 18
Striga asiatica 298, 290
Striga asiatica and Chrysoma pauciflosculosa in the Carolinas 289
(Styraceae), Some Identities in Halesia 86
Subularia aquatica 34
Suaeda americana 301, 304; linearis 301, 304; maritima 301, 304; Richii 301, 304
Syntherisma filiforme 11

Talinum calycinum 292
Tanacetum vulgare 66
Taraxacum erythrospermum 66; officinale 66
Taxodium ascendens 18
Taxonomic Study of the Genus Physalis in North America North of Mexico, A 107, 128, 152
Terrell, E. E., Striga asiatica and Chrysoma pauciflosculosa in the Carolinas 289
Tetragonia expansa 14, 301, 305
Thelepogon elegans 73
Thelepogon elegans Roth in the Dominican Republic 73
Thieret, J. W. and Glassman, S. F., Grasses New to Illinois and the Chicago Region 264
Thlaspi perfoliatum 16
Three New Annual Sunflowers (Helianthus) from the Southwestern United States 272
Thuja occidentalis 248
Tovara virginiana 300, 303
Tradescantia bracteata 42
Tragopogon dubius 29
Trichomanes boschianum 143, 144
Trichostema dichotomum 43; setaceum 207, 208
Trifolium agrarium 65; pratense 65; repens 65

Three Changed Authorities for Combinations 86
Trilisa carnosa 120; odoratissima 118, 119, 121; paniculata 119, 121
Trillium recurvatum f. Shayi 42
Trisetum pensylvanicum 207
Triteleia uniflora 13
Tritomaria exsectiformis 234; quinquedentata 253; scitula 253
Tsuga canadensis 243, 244, 329
Turner, B. L., Chromosome Number in the Genus Krameria: Evidence for Familial Status 101
Twelfth Report of the Committee on Plant Distribution 297
Two New Stations for Carex picta 175
Type of Vaucheria compacta var. koksoakensis, The 329
Typification of the Genus Forestiera (Oleaceae) 327
Typha latifolia 207; f. ambigua 207

Ulmus americana 67, 71
Umbilicaria Dillenii 84; mammulata 84; Muhlenbergii 84; papulosa 84
Unusual Botanical Area in Missouri, An 205
Urococcus foslieanus 284
Urtica chamaedryoides 298, 305; dioica 298, 304; gracilis 298, 302; procera 298, 302; urens 298, 304; viridis 298, 302
Usnea florida 81; hirta 81

Vaccinium angustifolium var. laevifolium 68; corymbosum var. fuscatum 86
Vaucheria compacta 283, 285, 286, 287, 288; var. **koksoakensis** 285, 286, 287, 288, 329; dichotoma 287; f. marina 287; intermedia 284; minuta 284; sphaerospora 283, 284, 285, 287, 288; submarina 285, 287, 288
Verbascum Thapsus 66; virgatum 24
Verbena brasiliensis 22; rigida 22; urticifolia 68; Verbena × engelmanni 22; V. hastata × V. urticifolia 22; Verbena × hybrida 22
Verbesina encelioides 29
Vernonia missourica 320
Veronica serpyllifolia 66
Vicia acutifolia 256, 257, 258; Cracca 65; floridana 256, 257, 258; **ocalensis** 256, 257, 258
Viola cucullata f. albiflora 68; papilionacea 70
Vitis aestivalis 61, 68, 72

Wagner, W. J. Jr., The Hybrid Ragweed, Ambrosia artemisiifolia × trifida 309
Wagner, W. H. Jr. and Beals, T. F., Perennial Ragweeds (Ambrosia) in Michigan, with the Description of a New Intermediate Taxon 177
Wahlenbergia gracilis 25
Warea cuneifolia 16
Waterfall, U. T., A Taxonomic Study of the Genus Physalis in North America North of Mexico 107, 128, 152
Weber, W. A., Rediscovery of the Genus Neoparrya Mathias (Umbelliferae) 265
Wilce, R. T. and Blum, J. L., Description, Distribution and Ecology of Three Species of Vaucheria Previously Unknown from North America 283; The Type of Vaucheria compacta var. koksoakensis 329
Wilson, K. A., Typification of the Genus Forestiera (Oleaceae) 327
Winterringer, G. S., Plant Notes from Illinois 41
Wolffia columbiana 318; punctata 318, 319
Woodwardia areolata 206

Xanthoria candelaria 81
Ximenesia encelioides 29

Zizania aquatica 42